

Work Order ID 160073

Thursday, April 20, 2017 1:54:46 PM

160073

Page 1

Item ID: 646.3315 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Blade
Start Date: 4/25/2017 Start Qty: 12.00 ***12*** Cust Item ID:
Required Date: 5/10/2017 Req'd Qty: 12.00 ***12*** Customer:
Reference: (P.A.)SCHEDULED/S

Approvals: Process Plan: DAS 21 9-89 Date: APR 20 2017 Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr								
646.3300	N/C3								
100	BAND SAW	0.00				12	Ø		DAS 20 9-89 17-04-23
100									
Bandsaw	Memo	0.48							
Jeaspa Bandsaw	Cut Blank at 2.600"								

110	HAAS CNC VERTICAL MACHINING #1	1.65				12	Ø		DAS 20 9-89 17-04-23
110									
HAAS 1	Memo	3.78							
HAAS CNC vertical machine #1	1-Machine per folio FB147 DWG REV: <u>N/C</u> FOLIO REV: <u>AA</u>								

2- deburr and break all sharp edges except otherwise noted

KNIFE EDGE MUST BE SHARPENED USING STONE, REMOVE ALL
BURRS ON CUTTING EDGE

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
								Completed By	
				Lead hand / Supervisor Approval Verification					
				QC / QA Coordinator Approval					

Root Cause				FAULT CATEGORY			
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐		
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐		
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐		
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐		
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐		
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐		
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐		
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐		
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐		
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐		
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____					
Misidentified ☐	Past Due ☐						

Work Order ID 160073

Thursday, April 20, 2017 1:54:46 PM

160073

Page 2

Item ID: 646.3315 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Blade
Start Date: 4/25/2017 Start Qty: 12.00 ***12*** Cust Item ID:
Required Date: 5/10/2017 Req'd Qty: 12.00 ***12*** Customer:
Reference: (P.A.)SCHEDULED/S

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120 *120* QC Quality Control	QC2- Inspect parts off machine FAI/FAIB Memo	0.00 0.12				12	Ø		DAS 20 9-89 17-04-21
130 *130* QC Quality Control	QC8- Inspect parts - second check Memo	0.00 0.24		B. 17-04-24		12	Ø		DAS 08 9-89
140 *140* Outsource1 Outsource process - Heat Treat	Outsource process - Heat Treat Memo HEAT TREAT AS PER DWG, SEE NOTE #3 ISSUE P/O: 36164	0.00 2,880.00				12		MAY 02 2017	DAS 13 9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
								Completed By 	
								Lead hand / Supervisor Approval Verification 	
QC / QA Coordinator Approval 									

Root Cause				FAULT CATEGORY																																																											
☐ Environment	☐ Design	☐ Doc/Data	☐ Equip/Tooling	☐ Handling/Pre	☐ Material	☐ Internal Transport	☐ Tribal Knowledge	☐ LOA	☐ Substation	☐ Past Expiry Date	☐ Misidentified	☐ No Re-verification	☐ Operator	☐ Offset/Setup	☐ Supplier	☐ Training	☐ Use for Testing	☐ Poor Information	☐ Rushing	☐ Product Improvement	☐ Process Improvement	☐ Manufacturing Process	☐ Past Due	☐ Pressure/Forced	☐ Bending	☐ Centre Not Concentric	☐ Cracks	☐ Crimp/Kink/Ripple/Wave	☐ Cuffs	☐ Crushing	☐ Heat Treat	☐ Wave/Twist in Tube	☐ Marks/Chatter	☐ Temperature/Cure	☐ Set-up	☐ BOM/Route	☐ Broken/Damage/Defect	☐ Inspection Incomplete/Unqualified	☐ Contamination	☐ Countersink	☐ Cut Too Short	☐ Instructions Incomplete/Unclear	☐ Drill Holes	☐ Power Loss/Surge	☐ Folio/Program	☐ Grain	☐ Weld	☐ Wrong Stock Pulled	☐ Out of Sequence	☐ Off-set	☐ Mislabeled	☐ Fit/Function	☐ Misaligned/off center	☐ Positioned Wrong	☐ Outside Dimensions	☐ Over/Under tolerance	☐ Part Incorrect	☐ Part Lost/Missing	☐ Part Moved	☐ Drawing	☐ Finish	☐ Misread	☐ Turning Sequence
																								☐ OTHER : _____																																							

Work Order ID 160073

Thursday, April 20, 2017 1:54:46 PM

160073

Page 3

Item ID: 646.3315 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Blade
Start Date: 4/25/2017 Start Qty: 12.00 ***12*** Cust Item ID:
Required Date: 5/10/2017 Req'd Qty: 12.00 ***12*** Customer:
Reference: (P.A.)SCHEDULED/S

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
150	Receive & Inspect for Damage & Mat'l Certs	0.00							
150									
Packaging	Memo	0.24							
Packaging									
155	QC5- Inspect part completeness to step on W/O	0.00							
155									
QC	Memo	0.24							
Quality Control									
160	Spray Painting per QSI005 4.2	0.00							
160									
SprayPaint	Memo	0.24							
Spray Painting	PRIME AS PER DWG, SEE NOTE #4								
	PRIMER BATCH: <u>137287</u>								

12 x SP 175-23

12

DAS 38 9-89 MAY 23 2017

12

DAS 41 9-89 MAY 31 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval Completed By _____ Lead hand / Supervisor Approval Verification _____ QC / QA Coordinator Approval _____		
Description Work Order Deviation				Disposition					

Root Cause			FAULT CATEGORY			
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____				
Misidentified ☐	Past Due ☐					

Work Order ID 160073

Thursday, April 20, 2017 1:54:46 PM

160073

Page 4

Item ID: 646.3315 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Blade
Start Date: 4/25/2017 Start Qty: 12.00 ***12*** Cust Item ID:
Required Date: 5/10/2017 Req'd Qty: 12.00 ***12*** Customer:
Reference: (P.A.)SCHEDULED/S

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
170 *170* QC Quality Control	QC14- Inspect Spray Paint Memo	0.00 0.00							 DAS 38 9-89 JUN 02 2017
180 *180* Packaging Packaging	Identify as per dwg & Stock Location: <u>CKK/03</u> Memo ***IDENTIFY AS PER APICAL MPP-120 BY STAMPING P# AND REV***	0.00 0.12							<u>12</u> JUN 02 2017 DAS 6 9-89
190 *190* QC Quality Control	QC21- Final Inspection - Work Order Release Memo	0.00 1.20							<u>17/6/7</u> JUN 02 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																													
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval																																																										
Description Work Order Deviation				Disposition				Completed By																																																									
								Lead hand / Supervisor Approval Verification																																																									
								QC / QA Coordinator Approval																																																									
Root Cause		FAULT CATEGORY																																																															
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	Past Expiry Date ☐	Manufacturing Process ☐	OTHER :			
Misidentified ☐	Past Due ☐																																																																

Picklist Print

Thursday, April 20, 2017 1:54:46 PM

Page 1

Work Order ID: 160073

160073

Parent Item: 646.3315

646 3315

Parent Item Name: Blade

Start Date: 4/25/2017

Required Date: 5/10/2017

Start Qty: 12.00

Required Qty: 12.00

Comments: IPP REV:A NEW ISSUE 12/11/07 JFS VERIFY BY: JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
MSTEEL-A2- B0.500X1.250		Purchased		No		100	f	41.7500	0.217	2.741053			

MSTEEL-A2-B0 500X1 250

AISI A2 TOOL STEEL BAR, 0.500 X 1.250

**

2.637'

DAS
20
9-89

17-04-22

Location

Loc Qty

Loc Code

MAT010

41.75

M136847

17.75

M137285

24

2.637'

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
							Completed By		
							Lead hand / Supervisor Approval Verification		
							QC / QA Coordinator Approval		
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
OTHER : ☐									

APICAL

INDUSTRIES, INC.

ENGINEERING CHANGE NOTICE NO.

04765

SHEET 1 OF 1

DWG NO. 646.3300

REV: NC

PREPARED BY J. SOTO

DATE: 12/08/2014

EFFECT ON DWG
☐ INC. ☒ UNINC.

DWG TITLE: UPPER CUTTER ASSY

APPROVED BY: ENGR. *[Signature]*

MFG. *[Signature]*

QC *[Signature]*



EFF. NEXT ORDER

TRANSACTION CODES (TC):
A-ADD
R-REVISE
C-CREATE
D-DELETE

REASON: ADDED HOLE DIMENSION TO 646.3313.

SHEET 5 IS:

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 160073 *1/20/16*



DOCUMENTS EFFECTED:

☐ MDL ☐ INSTALL INSTRUCTIONS ☐ ICA ☐ FMS ☐ BOM


CHANGE CATEGORY

☐ MAJOR ☒ MINOR

DER REVIEW REQUIRED

☐ YES ☒ NO

APICAL INDUSTRIES, INC.	ENGINEERING CHANGE NOTICE NO. 03724				SHEET 1 OF 1	
	DWG NO. 646.3300	REV: N/C	PREPARED BY B. PETERS	DATE: 12/05/12	EFFECT ON DWG ☐ INC. ☒ UNINC.	
	DWG TITLE: UPPER CUTTER ASSY					
	APPROVED BY: ENGR <i>[Signature]</i>	MFG <i>[Signature]</i>	QC <i>[Signature]</i>	EFF: NEXT ORDER		
TRANSACTION CODES (TC): A-ADD C-CREATE R-REVISE D-DELETE	REASON: REVISED ORDINATE DIMENSION.				ECR: D-12-025	




SHEET 4, ZONE B8 IS:


DOCUMENTS EFFECTED:	☐ RFMS ☐ MDL ☐ INSTALL INSTRUC ☐ ICA ☐ BOM	CHANGE CATEGORY	DER REVIEW REQUIRED
		☐ MAJOR ☒ MINOR	☐ YES ☒ NO

APICAL INDUSTRIES, INC.	ENGINEERING CHANGE NOTICE NO. 02196		SHEET 1 OF 2	
	DWG NO. 646.3300	REV: N/C	PREPARED BY S. HUFF	DATE: 01/05/09
	EFFECT ON DWG ☐ INC. ☒ UNINC.			
DWG TITLE: UPPER CUTTER ASSY				
APPROVED BY: ENGR <i>[Signature]</i>	MFG <i>[Signature]</i>	QC <i>[Signature]</i>	EFF: NEXT ORDER	
TRANSACTION CODES (TC): A-ADD C-CREATE R-REVISE D-DELETE	REASON: REMOVED RIVETS IN FAVOR OF ADDITIONAL SCREWS			

SHEET 1, VIEW 646.3301, IS:




14	R	601.2765	18	SCREW	MS27039-0819
10	R	601.1541	18	LOCKNUT	MS21042L08
9	D	601.2766	3	RIVET	MS20470AD5-18
8	R	601.2764	36	WASHER	NAS1149FN832P
			.3301		
F/N	TC	PART NUMBER	QTY	DESCRIPTION	MATERIAL/SPECIFICATION
DOCUMENTS EFFECTED: ☐ MDL ☒ INSTALL INSTRUC ☒ ICA ☐ FMS ☒ BOM					CHANGE CATEGORY: ☐ MAJOR ☒ MINOR
					DER REVIEW REQUIRED: ☐ YES ☒ NO

SHEET 3. SECTION VIEW A-A, IS:

F/N	TC	PART NUMBER	QTY	DESCRIPTION	MATERIAL/SPECIFICATION

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF
AFICAL INDUSTRIES AND REPRODUCTION IN PART OR WHOLE WITHOUT
THE WRITTEN PERMISSION OF AFICAL INDUSTRIES IS PROHIBITED.



NOTES:

- ① MATERIAL: ALUMINUM 7075-T651 PER AMS-QQ-A-250/12
- ② FINISH: HARD ANODIZE IAW MIL-A-8625 TYPE III,
CLASS 2, COLOR BLACK;
CARDINAL 4860-50 PRETREATMENT PRIMER
PRIME IAW MIL-P-23377J TYPE I CLASS N
- ③ MATERIAL: AISI A2 TOOL STEEL
CONDITION: ANNEALED
POST PROCESS: HEAT TREAT TO 58-62 Rc ROCKWELL HARDNESS
- ④ FINISH: PRIME IAW MIL-P-23377J TYPE I CLASS N
5. DEBURR AND BREAK ALL SHARP EDGES EXCEPT WHERE OTHERWISE NOTED
6. IDENTIFY IAW MPP-120
- ⑦ APPLY F/N 15 AS REQUIRED TO ALL FAYING SURFACES OF F/N 5, 6 & 7 UPON ASSEMBLY
- ⑧ CUTTING EDGE INTENDED TO BE SHARP. DO NOT BREAK SHARP EDGE
- ⑨ INSTALL FASTENER FINGER-TIGHT

646.3301
SHOWN EXPLODED





REV		DESCRIPTION	DATE	APPROVED

UNINCORPORATED ECN(S)

02196, 03724, 04765

[illegible]


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF
APICAL INDUSTRIES AND REPRODUCTION IN PART OR WHOLE WITHOUT
THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.




646.3310 SHOWN
646.3311 OPPOSITE

APICAL INDUSTRIES 2608 TEMPLE HEIGHTS DR. OCEANSIDE, CA. 92056-3512 (760)724-5300	
UPPER CUTTER ASSY	
ORIGINAL DATE: 09/26/08 DRAWN BY: J. BROWN CHECKED BY: P. BRAY DRAWING APPROVAL: [Signature] CONTRACT NO:	REV: 1 DATE: 07/26/06 DWG. NO: 646.3300 REV: N/C
TOLERANCES UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES 2 PLACE DECIMALS .01 3 PLACE DECIMALS .001 ANGLES ± .5°	SCALE: NONE SHEET 2 OF 8

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.



SECTION A-A




SECTION B-B

ORIGINAL DATE: 08-20-08		APICAL INDUSTRIES	
DRAWN BY: C. REEF		2608 TEMPLE HEIGHTS DR.	
CHECKED BY: P. BRADY		OCEANSIDE, CA. 92056-3612 (1/60)/24-5300	
DRAWING APPROVAL:		UPPER CUTTER ASSY	
CONTRACT NO:		646.3300	
PARTS OTHERWISE SPECIFIED		SCALE: NONE	SHEET: 3 OF 8
DIMENSIONS ARE IN INCHES			
TOLERANCES ARE:			
FRACTIONS DECIMALS 1/16			
ANGLES 1/2°			

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF
APICAL INDUSTRIES AND IS NOT TO BE REPRODUCED IN PART OR WHOLE WITHOUT
THE WRITTEN PERMISSION OF APICAL INDUSTRIES & PRODUCTS



REV.	DESCRIPTION	SHEET	DATE
1		1	1/1/83
2		2	1/1/83
3		3	1/1/83
4		4	1/1/83
5		5	1/1/83
6		6	1/1/83
7		7	1/1/83
8		8	1/1/83

646.3312
HOLE DIMENSIONS AND LOCATIONS
+/- .002




THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES AND REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.


REV	DESCRIPTION	DATE	BY



SECTION C-C






DETAIL A



ORIGINAL DATE AND DATE 08-20-08		APICAL INDUSTRIES	
DESIGNED BY S. HUBB		2608 TEMPLE HEIGHTS DR. OCEANSIDE, CA. 92056-3512 (760) 724 5300	
DRAWING APPROVAL P. BRAY		UPPER CUTTER ASSY	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: 2 PLACE DECIMAL: ±.01 3 PLACE DECIMAL: ±.005 ANGLES ± 5°		MT B	REV N/C
SCALE: NONE		CAGE CODE 07M26	DATE 646.3300
SHEET 5 OF 8			

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.

REV		DESCRIPTION	DATE	APPROVED






646.3314

ORIGINAL DATE: 08-20-08 DRAWN BY: J. H. H. CHECKED: J. H. H. DRAWN/APP'D: J. H. H. DATE: 08-20-08 CONTRACT NO: 646.3314		APICAL INDUSTRIES 2608 TEMPLE HEIGHTS DR. OCEANSIDE, CA 92056-3512 (760)724-5300	
PARTS CHANGES SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: FRACTIONS DECIMALS ANGLES ± .5°		UPPER CUTTER ASSY	
101	CAGE CODE: DWG. NO.	646.3300	REV
8	07M16		N/C
SCALE: NONE		SHEET 6 OF 8	

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED







646.3315

ORIGINAL DATE: 08-26-08 DRAFTER: J. HART S. MUMF. P. BRAVO DRAWING APPROVAL: P. BRAVO REVISIONS: CONTINUED ON No.	APICAL INDUSTRIES 2608 TEMPLE HEIGHTS DR. OCEANSIDE, CA. 92056-3512 (760) 724-5300
UPPER CUTTER ASSY	
UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES ARE: 3 PLACE DECIMALS ±.01 ANGLES ±.5°	SUFF. CAGE CODE: B 07M126 SUFF. P.C.: 646.3300 REV.: N/C
SCALE: NONE	
SHEET 7 OF 8	

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF
AFRICAN INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT
THE WRITTEN PERMISSION OF AFRICAN INDUSTRIES IS PROHIBITED.

CHOWHAY	120	NO. 100000	100
---------	-----	------------	-----



646.3316

[illegible]



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO36164**

Purchase Order Date 5/2/2017
PO Print Date 5/17/2017

Page Number 2 of 3

Order From :
METCOR INC.
560 BOUL. ARTHUR SAUVE
SAINT-EUSTACHE, QC J7R 5A8
CA

VC-MET004

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name
Vendor Phone 450 473 1884

Ship To Contact
Ship To Phone
Ship Via: FedEx Economy collect
Ship Acct:

Buyer Chantal Lavoie
Customer POID
Customer Tax # 10127-2607
Terms Net 30
Currency CAD
FOB FCA - (Free Carrier)

Line Total: \$48.08

3	160187	646.3314 BLADE	5/18/2017 Yes 5/18/2017	8.00	\$4.81	\$38.46
---	--------	----------------	-------------------------------	------	--------	---------

FINISH: HEAT TREAT TO 58-62 RC
ROCKWELL HARDNESS

PART ARE MADE FROM AISI A2 TOOL STEEL

PLEASE NOTE: DETAIL C OF C REQUIRED

Line Total: \$38.46

4	160073	646.3315 BLADE	5/18/2017 Yes 5/18/2017	12.00	\$4.81	\$57.69
---	--------	----------------	-------------------------------	-------	--------	---------

FINISH: HEAT TREAT TO 58-62 RC
ROCKWELL HARDNESS

PART ARE MADE FROM AISI A2 TOOL STEEL

PLEASE NOTE: DETAIL C OF C REQUIRED

Line Total: \$57.69

Note:

5/17/2017

OP175-23

DA-38-9-86

METCOR INC.

560 BOUL. ARTHUR-SAUVÉ
ST-EUSTACHE, QC J7R 5A8
Tel: 450-473-1884 / Fax: 450-491-5498

Reçu de livraison

Delivery Receipt

BON DE TRAVAIL Order	EXPÉDITEUR Shipper ID	BON D'EXPÉDITION Shipper
318924	1	119512

EXPÉDITION COMPLÈTE / Shipped Complete

CLIENT /Customer 215

DART AEROSPACE

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
Ph: 613-632-5200
Fax: 613-632-1053



LIVRÉ À /Shipped To

DART AEROSPACE

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
Ph: 613-632-5200
Fax: 613-632-1053

COMMANDE DU CLIENT Customer PO	BON DE LIVRAISON DU CLIENT Customer Shipper No.	TYPE DE MATÉRIEL Material Type	DATE DE LA COMMANDE Order Date	TRANSPORTEUR Carrier
36164		A2	2017/5/3	MINIMAX 1/2

QUANTITÉ Quantity	No. PIÈCE Part No.	NOM DE LA PIÈCE Part Name	DESCRIPTION DE LA PIÈCE Part Description	POIDS Weight
----------------------	-----------------------	------------------------------	---	-----------------

52 646.3015

17,

✓ (10) 646.3015 160180

✓ (10) 646.3015 158880

✓ (8) 646.3314 160187

✓ (12) 646.3315 160073

✓ (12) 646.3316 160072

1 VALISE

8017-5-23
DAS
38
1-89

TYPE DE CONTENEUR Container Type	# DE CONTENEURS # Of Containers	COMMENTAIRES CONTENEUR Container Comments
VALISE	1	

CERTIFICAT

EMPAQUETAGE Packing	
------------------------	--

QUANTITÉ EXPÉDIÉE / Quantity Shipped : 52

POIDS EXPÉDIÉ / Weight Shipped : 17,00

QUANTITÉ RESTANTE / Quantity Remaining : 0

POIDS RESTANT / Weight Remaining : 0,00

CERTIFICAT

QUANTITÉ EXPÉDIÉE / Quantity Shipped: 52

POIDS EXPÉDIÉ / Weight Shipped : 17,00

Signature:

Date:

EXPÉDIÉ LE / Shipped On : 2017/05/16

METCOR INC.

560 BOUL. ARTHUR-SAUVÉ, ST-EUSTACHE, QC, J7R 5A8

Tél.: 450-473-1884

Télécopieur / Fax administration: 450-491-5498

Télécopieur / Fax production: 450 491-6454

Certificat de Conformité

Certificate of Compliance

BON DE TRAVAIL order	CHARGEMENT load
318924	1

CLIENT / customer 215

DART AEROSPACE

1270 ABERDEEN

HAWKESBURY

ON K6A 1K7

LIVRÉ À / shipped to:

DART AEROSPACE

1270 ABERDEEN

HAWKESBURY

ON K6A 1K7

1

COMMANDE DU CLIENT customer po	CLASSIFICATION PIECE part classification	MATÉRIEL material	MAÎTRE D'OEUVRE prime contractor	PROGRAM
36164	N/A	A2		

SPÉCIFICATIONS DU PROCÉDÉ

processing specifications

VAC HARDEN

HARDEN AND TEMPER

EXIGENCE / requirement	SPÉCIFICATIONS / specified	TESTS EXÉCUTÉS / performed	RÉSULTATS DE TESTS / results
HARDNESS	58 - 62 HRC	5	60 - 62 HRC

QUANTITÉ quantity	POIDS weight	DESCRIPTION DES PIÈCES parts description
52	17	646.3015 (10) 646.3015 160180 (10) 646.3015 158880 (8) 646.3314 160187 (12) 646.3315 160073 (12) 646.3316 160072 1 VALISE

88175-23

16 mm

COMMENTAIRES / comments

APPROUVÉ par / Approved by:

METCOR
7

DATE: 2017-05-16

DAS
38
9-89

METCOR INC.

560 BOUL. ARTHUR-SAUVÉ, ST-EUSTACHE, QC, J7R 5A8

Tél.: 450-473-1884

Télécopieur / Fax administration: 450-491-5498

Télécopieur / Fax production: 450 491-6454

Certificat de Conformité Détaillé

Detailed Certificate of Compliance

BON DE TRAVAIL order	CHARGEMENT load
318924	1

CLIENT / customer 215

DART AEROSPACE

1270 ABERDEEN

HAWKESBURY

ON K6A 1K7

LIVRÉ À / shipped to:

DART AEROSPACE

1270 ABERDEEN

HAWKESBURY

ON K6A 1K7

1

COMMANDE DU CLIENT customer po	CLASSIFICATION PIECE part classification	MATÉRIEL material	MAÎTRE D'OEUVRE prime contractor	PROGRAM
36164	N/A	A2		
SPECIFICATIONS DU PROCÉDÉ processing specifications				
VAC HARDEN				
HARDEN AND TEMPER				
EXIGENCE / requirement	SPECIFICATIONS / specified		TESTS EXÉCUTÉS / performed	RÉSULTATS DE TESTS / results
HARDNESS	58 - 62 HRC		5	60 - 62 HRC
QUANTITÉ quantity	POIDS weight	DESCRIPTION DES PIÈCES parts description		
52	17	646.3015 (10) 646.3015 160180 (10) 646.3015 158880 (8) 646.3314 160187 (12) 646.3315 160073 (12) 646.3316 160072 1 VALISE		

COMMENTAIRES / comments

VAC HARDEN 1800F, 1:30 HR

TEMPER 400F, 2 HRS

Heat treatment (HT) was performed with equipment that meets the requirements of AMS2759 & AMS2750.

All HT operations were in compliance with AMS2759 and all verifications have been performed and documented. No unauthorized changes were performed in regards to the HT. We certify that the material was manufactured, sampled, tested and inspected in accordance with AMS2759 and the purchase order and was found to meet the requirements.

This document and any attached documents may contain confidential or proprietary information and may be subject to export control laws and regulations. If you are not the intended recipient, you are notified that any dissemination, copying of this e-mail and any attachments thereto or use of their contents by any means whatsoever is strictly prohibited. Unauthorized export or re-export is prohibited.

Le traitement thermique (TT) a été fait en utilisant des équipements en conformité avec AMS2759 et AMS 2750.

Le TT a été fait tel que requis par AMS2759 et toutes les vérifications et les tests demandés ont été faites et documentés.

Aucun changement n'a été faite par rapport au TT. On certifie que le matériel a été fabriqué, échantillonné, testé et inspecté en accord avec AMS2759 et le bon de commande et le matériel rencontre les exigences spécifiées.

Ce document et les documents qui lui sont joints peuvent contenir des informations confidentielles, être soumis aux réglementations relatives au contrôle des exportations ou ayant un caractère privé. S'ils ne vous sont pas destinés, nous vous signalons qu'il est strictement interdit de les divulguer, de les reproduire ou d'en utiliser de quelque manière que ce soit le contenu. Toute exportation ou réexportation non autorisée est interdite.

APPROUVÉ par / Approved by:

Isabel Otero
QA Technician



DATE: 2017-05-17

DAS
38
9-89